

DIVISION: ROAD

ROAD & PAVEMENT

MARKING &
MAINTENANCE



all about lines ...



IT'S ALL ABOUT THE ROAD

"we contribute to road safety"



Marking & Maintenance

Parking lots, intersections & city streets

High performance professional line strippers ideal for small to medium line marking of intersections, local city streets, parking lots, ports, schools ...


High speed roads, country roads & airports

Truck mounted road marking kits, easily adapted to any truck or van. Ideal for long line striping, airports and long distance marking.

Marking removals & surface preperation

A wide range of line removal machinery with interchangeable cutting drums. Ideal for roads, intersections, airports, production plants, asphalt & concrete leveling.





PARKING LOTS, INTERSECTIONS & LOCAL LINE STRIPING

all about lines ...

Marking & Maintenance

From walk-behind line strippers to self-propelled units equipped with ride-along accessories, ideal for local street marking, intersections, athletic parks, ports & parking lots.



Walk-behind hydraulic
line strippers



Self-propelled
line strippers



Ride along
platform & chair



1 & 2 K
applications



Glass bead hoppers
Paint tanks

WALK-BEHIND LINE STRIPERS

PROSTRIPE 100 | 200 | 300

HYDRAULIC ROAD MARKING EQUIPMENT

WALK-BEHIND

VEZOS walk-behind line strippers are equipped with a slow stroke pump, offering accurate material pumping and line precision for striping application such as parking lots, athletic fields, road maintenance and local city marking jobs.



UNIQUE FEATURES

PROSTRIPE walk behind line strippers are designed with a foldable chassis, allowing these line strippers to be easily transported in any vehicle & stored away without taking up space. Equipped with a large swivel front wheel for extra stability and an improved anti-vibration system, ensuring perfect straight lines no matter the surface.



VEZOS walk-behind line stripers are equipped with a slow stroke paint pump, offering accurate material pumping and line precision for striping application such as parking lots, intersections, athletic fields, road maintenance and local city marking jobs. All PROSTRIPE walk*behind line stripers have a foldable chassis for easy transportation and storage.



PROSTRIPE WB INSIGHTS

- Hydraulic operation - 5 lit oil reservoir
- 1-2 paint guns
- Bead hopper 21 lit - vibrated assisted system
- HONDA GX engines
- Rear gun set-up
- HYDREX Slow stroke 9.5 l/min pump
- TCS Technology
- Foldable chassis
- Industrial durable 6 ply tires
- Easy top sided alignment
- XXL front swivel wheel
- Removable paint gun ideal for stenciling
- Built-in filter
- Large paint hopper 68 lit
- Restriping guide pointer



PROSTRIPE WB 100

PROSTRIPE WALK-BEHIND LINE STRIPER - p/n 23.9410101

Push / Walk-behind striper
 Working pressure: 230 bar
 Max material delivery: 5.0 lit/min
 HYDREX cold plastic spray application system single 50cc pump
 Engine: HONDA GX 3.5 hp NET
 Paint spray gun (x1 qty)
 Glass bead kit 21 lit 1 gun (x1 qty) - optional
 Hydraulic oil tank: 5 liters
 Re-striping guide pointer - optional
 Paint hopper kit - optional
 Second gun kit - optional
 Glass bead kit 21 lit 2 gun - optional

PROSTRIPE WB 300

PROSTRIPE WALK-BEHIND LINE STRIPER - p/n 23.9008100

Push / Walk-behind striper
 Working pressure: 240 bar
 Max material delivery: 8.5 lit/min
 HYDREX cold plastic spray application system single 70cc pump
 Engine: HONDA GX 5.8 hp NET
 Paint spray gun (x1 qty)
 Glass bead kit 21 lit 1 gun (x1 qty) - optional
 Hydraulic oil tank: 5 liters
 Re-striping guide pointer - optional
 Paint hopper kit - optional
 Second gun kit - optional
 Glass bead kit 21 lit 2 gun - optional

PROSTRIPE WB 200

PROSTRIPE WALK-BEHIND LINE STRIPER - p/n 23.9017410

Push / Walk-behind striper
 Working pressure: 240 bar
 Max material delivery: 6.5 lit/min
 HYDREX cold plastic spray application system single 50cc pump
 Engine: HONDA GX 4.8 hp NET
 Paint spray gun (x1 qty)
 Glass bead kit 21 lit 1 gun (x1 qty) - optional
 Hydraulic oil tank: 5 liters
 Re-striping guide pointer - optional
 Paint hopper kit - optional
 Second gun kit - optional
 Glass bead kit 21 lit 2 gun - optional

PROSTRIPE WB 300 2K

PROSTRIPE WALK-BEHIND LINE STRIPER 2K - p/n 23.9901100

Push / Walk-behind striper TWO COMPONENT applications
 Working pressure: 240 bar
 Max material delivery: 8.5 lit/min
 HYDREX hard chromed double 70cc pump
 HYDREX hard chromed single 20cc pump
 Engine: HONDA GX 8.4 hp NET
 Automatic paint 3 way system spray gun (x2 qty)
 Automatic pressurized glass bead trigger (x2 qty)
 Hydraulic oil tank: 7 liters
 Built-in frame structure including air compressor, hydraulic pump system, gas engine (x1 qty)
 Re-striping guide pointer - optional
 Paint hopper kit - optional
 Pressurized glass bead kit

For additional models & execution contact your area manager

SELF-PROPELLED

VEZOS SP PROSTRIPE line stripers are ideal for medium to large road marking contractors that require a steady striping pace. The entire unit is self-propelled with a double hydraulic system, allowing striping contractors to ride the unit.

UNIQUE FEATURES

Discover VEZOS unique FLIPDRIVE striping seat for increased visibility of the road, even with the glass bead system in place.
TCS Techonology on all PROSTRIPE models for correct cooling system during the entire striping procedure

SELF-PROPELLED LINE STRIPERS

PROSTRIPE SP 300

HYDRAULIC ROAD MARKING EQUIPMENT





VEZOS SP PROSTRIPE line stripers are ideal for medium to large road marking contractors that require a steady striping pace. The entire unit is self-propelled with a double hydraulic system, allowing striping contractors to ride the unit with a stand-on platform or even VEZOS unique FLIPDRIVE striping seat for increased visibility of the road.

PROSTRIPE SP INSIGHTS

- ▮ Increased visibility design
- ▮ 1-2 paint guns
- ▮ Hand brake, kill switch, engine throttle
- ▮ Bead hopper 21 lit - vibrated assisted system
- ▮ HONDA GX engines
- ▮ Motorcycle type motion control system
- ▮ HYDREX Slow stroke 9.5 l/min pump
- ▮ TCS Technology
- ▮ Foldable chassis
- ▮ Industrial durable 6 ply tires
- ▮ Easy top sided alignment
- ▮ XXL front swivel wheel
- ▮ Removable paint gun ideal for stenciling
- ▮ Hydraulic operation - 5 lit oil reservoir
- ▮ Large paint hopper 68 lit
- ▮ Restriping guide pointer





1 - 2 & 3 PUMP OPTIONS

PROSTRIPE Self-Propelled line strippers are also available with a double HYDREX pump system for 2 color striping & with a triple pump execution ideal for 2K materials and applications.

3 PUMP SYSTEM

Triple pump with cleaning flushing systems up to 200 bar solvent pressure

MATERIALS

Common road paint, heavy VOC paint, waterborne, rubberized marking paint, 1 & 2 component

APPLICATIONS

Parking lots, intersections, schools & athletic fields, city streets ...





Connect the FLIPDRIVE line striper seat to all self-propelled PROSTRIPE models and enjoy the ride. Equipped with industrial 6 ply tires durable for road marking paint & materials. Lift the lever and transform the FLIPDRIVE into a ride along platform.

FLIPDRIVE INSIGHTS



DOUBLE RIDE METHOD

Innovative thinking !! Transform the FLIPDRIVE ride into a standing platform by simply lifting the seat lever & gain the best control over the complete unit.

STORAGE SPACE

Take advantage of its hidden away storage space, to store your tool box. When operating in a sitting position, you can carry along road cones or even a gas tank. Striping is a one persons job!

PANORAMIC VIEW

When operating in a standing position, you gain the best visibility of the entire job-site, without any limitations. Test this even with the bead hopper in place and be amazed with the panoramic view.

PROSTRIPE SELF-PROPELLED SERIES



PROSTRIPE SP 300

PROSTRIPE SELF-PROPELLED LINE STRIPER - p/n 23.9008110

Self-propelled striper
Working pressure: 240 bar
Max material delivery: 8.5 lit/min
HYDREX cold plastic spray application system single 70cc pump
Engine: HONDA GX 8.4 hp NET
Paint spray gun (x1 qty)
Glass bead kit 21 lit 1 gun (x1 qty) - optional
Hydraulic oil tank: 5 liters
Re-striping guide pointer - optional
Paint hopper kit - optional
Second gun kit - optional
Glass bead kit 21 lit 2 gun - optional
Double drive FLIPDRIVE line striper chair - optional
Ride along platform - optional

PROSTRIPE SP 300 2K

PROSTRIPE SELF-PROPELLED LINE STRIPER 2K - p/n 23.9901200

Self-propelled line striper TWO COMPONENT applications
Working pressure: 240 bar
Max material delivery: 8.5 lit/min
HYDREX hard chromed double 70cc pump
HYDREX hard chromed single 20cc pump
Engine: HONDA GX 11.7 hp NET
Automatic paint 3 way system spray gun (x2 qty)
Automatic pressurized glass bead trigger (x2 qty)
Hydraulic oil tank: 7 liters
Built-in frame structure including air compressor, hydraulic pump system, gas engine (x1 qty)
Re-striping guide pointer - optional
Paint hopper kit - optional
Pressurized glass bead kit
Double drive FLIPDRIVE line striper chair - optional
Ride along platform - optional

For additional models & execution contact your area manager



PROSTRIPE WB & SP LINE STRIPERS





ROAD MARKING, CITY STREETS & HIGHWAYS

DIVISION: ROAD

all about lines ...



Marking & Maintenance

Truck mounted ready kits to adapt to any professional vehicle & paint supply complex packages. Ideal for road marking on highways, airports, fast traffic lanes ...



9.5 - 84 lit/min
paint supply



All included
striping kits



1 - 3 pump
material delivery



1 & 2 K
applications



Fully retractable
chassis & brackets

TRUCK-MOUNTED KITS

ROADMASTER BASIC

HYDRAULIC ROAD MARKING EQUIPMENT

ROADMASTER BASIC

RM BASIC truck mounted line striping equipment has become the newest trend in the marking industry. This entry level line marking unit can be adapted to any vehicle, including a retractable arm bracket and foldable chassis, automatic spray guns, pressurized bead tank, marking controller & HD camera kit.



UNIQUE FEATURES

VEZOS innovates once again by designing the industry's first entry level truck mounted line striper. Equipped with 1 or 2 HYDREX pumps, TCS technology and a fully automatic control & monitor system - it is possible for contractors to level up their business & profit.



One of a kind! RM BASIC 2.5 line striping kit offers medium size marking contractors, a serious & highly professional entry level line striper to adapt on all city trucks.

RM BASIC 2.5 INSIGHTS

- ▮ Palletized / box type steel frame
- ▮ Pressurized glass bead system
- ▮ Automatic paint gun system
- ▮ HONDA GX engines
- ▮ HD compressor with large accumulation tank (4 gal - 15 lit)
- ▮ HYDREX Slow stroke 9.5 l/min pump (single or double)
- ▮ TCS Technology
- ▮ Pressurized bead tanks 100kg - 200kg
- ▮ 9 liter capacity hydraulic oil reservoir
- ▮ Slide rear beam bracket
- ▮ Large industrial wheels on arm bracket
- ▮ HD Camera monitor kit - In cabin marking controller
- ▮ Fully retractable arm bracket & beam
- ▮ Center hook lifting point
- ▮ Re striping guide pointer
- ▮ SKIPLINE controller



RM BASIC 2.5 LINE STRIPING KIT



82mm / 3.2" Wide inlet

Pressurized glass bead tank
140-700 kg capacity with
popup valve

TCS technology

Tunnel cooling system

HYDREX Slow Stroke

Slow stroke & high delivery
pump 9.5 l/min

HD Compressor 4 gal

HD Compressor with
large accumulation tank
(4 gal / 15l)



Center lift point

HD Steel frame with
center lift point

HONDA GX

8.4 & 11.7 hp engines

Cooling system

Box | Palletized Frame

All in one system, easy to
lift and adapt to any vehicle



1 & 2 COMPONENT

RM BASIC 2.5



p/n 77.2017514

p/n 77.2017514



**ENTRY LEVEL
ROAD MARKING
TRUCK MOUNTED KIT**

RM STD 5.0 SSTRIPING KIT

RM STD 5.0 is the ideal complex for contractors that in average take on highway marking applications. Equipped with a single or double HYDREX 230cc pump, fully automatic spray & monitor system, contractors can control the entire striping procedure from the trucks cabin. The entire system is fully retractable and fits securely on the deck of your truck.

TRUCK-MOUNTED KITS READY TO WORK

RM STD 5.0

UNIQUE FEATURES

1 & 2 K paint materials
1 or 2 HYDREX pumps and a unique double divided section reservoir ensuring correct oil feeding and cooling. Equipped with a manual spray stencil kit for traffic signaling and waysides.

HYDRAULIC ROAD MARKING EQUIPMENT



RM STD 5.0 LINE STRIPING KIT




- Palletized steel frame , multiple pick up & loading angles with fork lift
- Pressurized glass bead system with wide loading inlet 82mm (3.2") with pop up valve, 280 - 700kg
- Automatic paint gun system & Manual spray gun with 15m hose for stenciling etc
- 20 & 35 liter hydraulic oil reservoir (divided sections)
- HD compressor with large accumulation tank (4 gal - 15 lit)
- HYDREX Slow stroke 19 l/min pump (single or double) - Double color & MMA applications
- KOHLER PRO engines
- TCS Technology
- Hydraulic pressure accumulator
- HD Large hydraulic cooler
- Double slide rear beam bracket
- Double arm bracket (optional)
- Pump gallon totalizer
- Steps for easy load glass bead
- Camera HD & monitor 22"
- In cabin marking controller - Data logging menu
- Center hook lifting point
- Fully retractable system
- Foldable chassis
- Move along bracket rest points
- Re striping guide pointer
- Multiple paint & bead guns



RM STD 5.0 INSIGHTS

RM STD 5.0 LINE STRIPING KIT



p/n 77.2027519

RM STD 5.0



**1 & 2
COMPONENT**

p/n 77.2027519



**ADAPT TO ANY
TRUCK WITH
ONLY 4 BOLTS
FULLY RETRACTABLE
CHASSIS & BRACKET**



TRUCK-MOUNTED KITS

RM HD 10

HYDRAULIC ROAD MARKING EQUIPMENT

RM HD 10 LINE STRIPING KIT

RM HD 10 maximum power & production rate, equipped with KOHLER engines and double HYDREX HD pumps, this option is a serious solution for the most demanding contractors. Take advantage of VEZOS double sided arm bracket and operate the entire system from the trucks cabin or deck.



UNIQUE FEATURES

Loading steps for easy access to the glass bead system, double bracket and double HD camera kit, triple oil divided section reservoir, HD air compressor and a fully retractable chassis are just a few of the ROADMASTER HD - XHD's special features that will allow contractors to get the job done fast and precise.



RM HD 10.0 INSIGHTS

- ▷ All RM STD features
- ▷ Double or Triple HYDREX slow stroke pumps
- ▷ 38 - 84 lit/min material delivery
- ▷ 1 & 2 K applications
- ▷ Automatic 1K paint guns
- ▷ Automatic 3way guns
- ▷ Single or double arm bracket, SIMULTANEOUS line marking
- ▷ Double acting bracket air lift kit
- ▷ Glass bead loading steps
- ▷ Data logging & controller
- ▷ Double HD camera & Monitor in cabin set up
- ▷ Custom glass bead tank system
- ▷ Custom bracket kit
- ▷ Hydraulic oil tank double & triple divided sections
- ▷ Hydraulic oil tank double circuit multilevel system





DOUBLE BRACKETS
DOUBLE PUMPS
DOUBLE ...
PROFIT





TRUCK-MOUNTED ROAD MARKING KITS

19 - 38 - 84 lit /min material delivery | HD Camera kits & In-cabin monitor
HYDREX HIGH PERFORMANCE FLUID PUMPS

RM HD 10.0 2K APPLICATIONS

TWO COMPONENT


TRUCK MOUNTED MARKING KIT

Avoids the excess spilling from the cleaning process of conventional systems

Accurate quantity control tech.

Cleaning system delivers automatically solvent to the gun+tip

Procedure is controlled electronically and adjusted in various ways



**3 PUMP SYSTEM
WITH ELECTRONIC
FLUSHING PROCESS
AND UP TO
200 BAR SOLVENT
PRESSURE**

RM HD 10.0

HD & XHD SERIES 2K



RM LINE STRIPING KITS

READY TO STRIPE SERIES



RM 2.5 STRIPING KIT 1P

RM 2.5 LINE STRIPING KIT 1 PUMP - p/n 77.2017514

Palletized / box type frame
Working pressure: 200 bar / 3000 psi
Max material delivery: 9.5 lit/min - 2.5 gpm (x1 qty)
HYDREX 70 single piston pump 70cc
Engine: HONDA GX 11.7 hp NET
Automatic paint spray gun (x2 qty)
Automatic pressurized glass bead trigger (x2 qty)
Retractable arm bracket BASIC including electro pneumatic valves (x1 qty)
Pressurized bead system including tank 100 kg / 330 lbs (x1 qty)
Built-in frame structure including air compressor, hydraulic pumps system, gas engine
Hydraulic oil tank: 9 liters
Manual gun switch controller
Re-striping guide pointer

RM 5.0 STRIPING KIT 1P

RM 5.0 LINE STRIPING KIT 1 PUMP - p/n 77.2027514

Palletized / box type frame
Working pressure: 200 bar / 3000 psi
Max material delivery: 19.0 lit/min - 5.0 gpm (x1 qty)
HYDREX 230 single piston pump 230cc
Engine: HONDA GX 20.8 hp NET
Automatic paint spray gun (x2 qty)
Automatic pressurized glass bead trigger (x2 qty)
Retractable arm bracket HD including electro pneumatic valves (x1 qty)
Pressurized bead system including tank 280 kg / 600 lbs with loading steps (x1 qty)
Built-in frame structure including air compressor, hydraulic pumps system, gas engine
Hydraulic oil tank: 20 liters divided double section
Manual paint | stencil kit (15m hose, manual airless gun, reel)
Manual gun switch controller
Re-striping guide pointer
Camera & Monitor kit **available / optional**
Road marking controller SKIPLINE USA **available / optional**

RM 2.5 STRIPING KIT 2P

RM 2.5 LINE STRIPING KIT 2 PUMP - p/n 77.2017517

Palletized / box type frame
Working pressure: 200 bar / 3000 psi
Max material delivery: 9.5 lit/min - 2.5 gpm (x2 qty)
HYDREX 70 double piston pump 70cc
Engine: HONDA GX 11.7 hp NET
Automatic paint spray gun (x2 qty)
Automatic pressurized glass bead trigger (x2 qty)
Retractable arm bracket HD including electro pneumatic valves (x1 qty)
Pressurized bead system including tank 100 kg / 330 lbs (x1 qty)
Built-in frame structure including air compressor, hydraulic pumps system, gas engine
Hydraulic oil tank: 9 liters
Manual paint | stencil kit (15m hose, manual airless gun, reel)
Road marking controller SKIPLINE USA
Re-striping guide pointer
Camera & Monitor kit **available / optional**

RM 5.0 STRIPING KIT 2P

RM 5.0 LINE STRIPING KIT 2 PUMP - p/n 77.2027519

Palletized / box type frame
Working pressure: 200 bar / 3000 psi
Max material delivery: 19.0 lit/min - 5.0 gpm (x2 qty)
HYDREX 230 double piston pump 230cc
Engine: HONDA GX 20.8 hp NET
Automatic paint spray gun (x2 qty)
Automatic pressurized glass bead trigger (x2 qty)
Retractable arm bracket HD including electro pneumatic valves (x1 qty)
Pressurized bead system including tank 280 kg / 600 lbs with loading steps (x1 qty)
Built-in frame structure including air compressor, hydraulic pumps system, gas engine
Hydraulic oil tank: 20 liters divided double section
Manual paint | stencil kit (15m hose, manual airless gun, reel)
Road marking controller SKIPLINE USA
Re-striping guide pointer
Camera & Monitor kit **available / optional**

RM LINE STRIPING KITS

READY TO STRIPE SERIES



RM 10.0 STRIPING KIT 1P

RM 10.0 LINE STRIPING KIT 1 PUMP - p/n 77.2047537

Palletized / box type frame
Working pressure: 150 bar / 2150 psi
Max material delivery: 38.0 lit/min - 10.0 gpm (x1 qty)
HYDREX 630 single piston pump 630cc
Engine: HONDA GX 20.8 hp NET
Automatic paint spray gun (x3 qty)
Automatic pressurized glass bead trigger (x3 qty)
Retractable arm bracket HD including electro pneumatic valves (x1 qty)
Pressurized bead system including tank 280 kg / 600 lbs with loading steps (x1 qty)
Built-in frame structure including air compressor, hydraulic pumps system, gas engine
Hydraulic oil tank: 35 liters divided triple section
Manual paint | stencil kit (15m hose, manual airless gun, reel)
Manual gun switch controller
Re-striping guide pointer
Camera & Monitor kit **available / optional**
Road marking controller SKIPLINE USA **available / optional**

RM LINE STRIPING KITS

Additional options are available

- MMA 98:2 Applications
- Cold plastic 1:1 Applications
- Customized set up
- 3 HYDREX pump system
- SST HYDREX pumps
- Multiple pressurized glass bead tank sizes
- Paint tanks (single, double, triple color)
- Double HD arm bracket
- Hydraulic air lifts
- Rear operator station for truck setup

Contact your sales manager for more options

RM 10.0 STRIPING KIT 2P

RM 10.0 LINE STRIPING KIT 2 PUMP - p/n 77.2047528

Palletized / box type frame
Working pressure: 200 bar / 3000 psi
Max material delivery: 38.0 lit/min - 5.0 gpm x2 qty
HYDREX 630 double piston pump 230cc
Engine: KOHLER 26.4 hp NET
Automatic paint spray gun (x3 qty)
Automatic pressurized glass bead trigger (x3 qty)
Retractable arm bracket HD including electro pneumatic valves & double action air lift kit (x1 qty)
Pressurized bead system including tank 280 kg / 600 lbs with loading steps (x1 qty)
Built-in frame structure including air compressor, hydraulic pumps system, gas engine
Hydraulic oil tank: 35 liters divided triple section
Manual paint | stencil kit (15m hose, manual airless gun, reel)
Re-striping guide pointer
Road marking controller SKIPLINE USA
Camera & Monitor kit **available / optional**





LONG LINE ROAD MARKING EQUIPMENT

RM 600 XHD - custom built option | not standard set up

ROADMASTER TRUCK LINE STRIPERS



Operator control cabin with air-condition
(Canopy option available)

Pressurized glass bead
tank (4000 lb capacity) with
vacuum loading

Paint storage / tank
(1 or 2 color)
& heating system

Paint system
2 HYDREX 950 HD chromed pumps, 30 gpm @2000 psi
TCS Tech cooling system



Toolboxes /
operators steps
& railing

Double diaphragm
transfer pump system

Hydraulic carriages
(Multiple gun set up)



STANDARD SETUP

HYDRAULIC PAINT PRESSURE SYSTEM

Module RM XHD 30

- 2 Autonomous & complete hydraulic circuit systems
- 2 HYDREX 950 PowerMax hydraulic fully chromed piston paint pumps |

15 gpm (x2) @2150 psi

- 4 High pressure pump paint filters
- TCS system cooling technology
- 74 HP Diesel engine

PAINT STORAGE

- 4 Drum holders 55 gal each

PAINT LOADING SYSTEM

- 2 SST Hydraulic paint loading pumps 2" complete with hosing

GLASS BEAD SYSTEM

- 1 Carbon steel pressure bead tank 1500 lbs. capacity
- Vacuum bead loading system

CARRIAGES

- 2 Hydraulic gun carriages assemblies with HD pneumatic tires & solenoid boxes

- 2 Air lifts
- 3 Paint gun actuators

Gun configuration:

- 2 Automatic airless paint guns + 2 glass bead triggers (left)
- 1 Automatic airless paint gun + 1 glass bead trigger (right)

- Manual paint | stencil kit (15m hose, manual airless gun, reel)

REAR OPERATORS STATION

- Canopy deck setup
- 2 Rear operator suspension type seat assemblies STD
- Operators main control console

GUIDANCE SYSTEM

- 2 Road marking controllers SKIPLINE USA X series

ADDITIONAL OR REPLACEMENT OVER STANDARD PARTS

- Platform base
- SST chromed HYDREX 950 PowerMax piston pump
- Additional HYDREX 950 PowerMax piston pump (3rd color)
- Paint & bead line for additional pump
- HD Monitor & Camera kit (1-2)
- Bead tank 3000 & 4000 lbs. capacity
- Vacuum bead loading system - Hydraulic paint agitators
- Dual gun carriage - Paint SST tank 125 gallons x 2qty |250 gallons x 2qty
- Paint totes 125 gallons x 2qty |250 gallons x 2qty - Gun actuators
- Gallon counters - Strobe lighting kit - Laser guidance system HD kit
- Intercom system 2 & 3 station - Closed box type operation cab
- Aluminum toolbox - Fire extinguishers - Air jets for gun carriage
- Paint heating system
- Additional gun & bead guns
- LED message board
- Digital speedometer

Operator station
(Closed cab option available)

Pressurized glass bead tank
(custom capacity) with
vacuum loading

Paint storage / tank
(1 or 2 color)
& heating system

Paint system
2 HYDREX 630 HD chromed pumps, 20 gpm @2150 psi
TCS Tech cooling system

Operators steps
& railing

Double transfer
pump system

Hydraulic carriages (Multiple gun set up)



STANDARD SETUP

HYDRAULIC PAINT PRESSURE SYSTEM

Module RM XHD 20

- 2 Autonomous & complete hydraulic circuit systems
- 2 HYDREX 630 PowerMax hydraulic fully chromed piston paint pumps | 10 gpm (x2) @2150 psi
- 4 High pressure pump paint filters
- TCS system cooling technology
- 23 HP HONDA engine

PAINT STORAGE

- 2 Drum holders 55 gal each

PAINT LOADING SYSTEM

- 2 SST Hydraulic paint loading pumps 1 1/2" complete with hosing

GLASS BEAD SYSTEM

- 1 Carbon steel pressure bead tank 750 lbs. capacity

CARRIAGES

- 2 Hydraulic gun carriages assemblies with HD pneumatic tires & solenoid boxes
- 2 Air lifts

- 3 Paint gun actuators

Gun configuration:

- 2 Automatic airless paint guns + 2 glass bead triggers (left)
- 1 Automatic airless paint gun + 1 glass bead trigger (right)
- Manual paint | stencil kit (15m hose, manual airless gun, reel)

REAR OPERATORS STATION

- Canopy deck setup
- 2 Rear operator suspension type seat assemblies STD
- Operators main control console

GUIDANCE SYSTEM

- 2 Road marking controllers SKIPLINE USA (up to 4 guns)


ADDITIONAL OR REPLACEMENT OVER STANDARD PARTS

- Platform base
- SST chromed HYDREX 630 PowerMax piston pump
- Additional HYDREX 630 PowerMax piston pump (3rd color)
- Paint & bead line for additional pump
- HD Monitor & Camera kit (1-2)
- Bead tank 1500 lbs. capacity
- Vacuum bead loading system - Hydraulic paint agitators
- Dual gun carriage - Drum tie-down 55 gallon (2-4)
- Paint SST tank 65 gallons x 2qty | 125 gallons x 2qty
- Paint totes 125 gallons x 2qty - Gun actuators - Gallon counters
- Strobe lighting kit - Laser guidance system HD kit
- Intercom system 2 & 3 station - Closed box type operation cab
- Aluminum toolbox - Fire extinguishers - Air jets for gun carriage
- Paint heating system - Additional gun & bead guns
- LED message board
- Digital speedometer

Pressurized glass bead tank
(600 lbs capacity) with vacuum
loading optional

Paint system
2 HYDREX 230 HD chromed pumps, 10 gpm @3000 psi
or MMA setup including HYDREX 20
TCS Tech cooling system

Paint storage / tank - totes
(1 or 2 color)
& heating system optional



Rear carriages system (low trucks)
Side carriages system (high trucks)

HD Monitor & camera kit (1-2 cam)
SKIPLINE marking controller
Re-striping pointer



STANDARD SETUP

Module RM HD 10

- 2 HYDREX 230 hydraulic fully chromed piston paint pumps | 5 gpm (x2) @3000 psi
- or 1 HYDREX 630 PowerMax hydraulic fully chromed piston paint pumps | 10 gpm@2150 psi
- or MMA HYDREX pump set up
- HD large hydraulic oil cooler
- TCS system cooling technology
- 26.5 HP KOHLER engine / 23 HP HONDA engine

GLASS BEAD SYSTEM

- 1 Carbon steel pressure bead tank 600 lbs. capacity
- Glass bead tank loading steps

BRACKET

- Single retractable & foldable arm bracket

Gun configuration:

- 3 Automatic airless paint guns + 3 glass bead triggers (left)
- or MMA 1:1 | 98:2 gun set up
- Manual paint | stencil kit (15m hose, manual airless gun, reel)

GUIDANCE SYSTEM

- 1 Road marking controllers SKIPLINE USA (up to 4 guns)
- not included in HYDREX 630 version
- 1 Re-stripping pointer

ADDITIONAL OR REPLACEMENT OVER STANDARD PARTS

CARRIAGE setup

- 2 Hydraulic gun carriages assemblies with HD pneumatic tires & solenoid boxes
- 2 Air lifts
- 3 Paint gun actuators

Gun configuration:

- 2 Automatic airless paint guns + 2 glass bead triggers (left)
- 1 Automatic airless paint gun + 1 glass bead trigger (right)
- SST chromed HYDREX 630 PowerMax piston pump
- Additional HYDREX 630 PowerMax piston pump (2nd color)
- Additional HYDREX 230 PowerMax piston pump (3rd color)
- Paint & bead line for additional pump
- Canopy operation cab with single ride seat assembly
- Suspension type ride seat assembly
- SKIP LINE USA controller (up to 4 guns)
- HD Monitor & Camera kit (1-2)
- Bead tank 750 lbs. capacity
- Bead tank 1500 lbs. capacity
- Hydraulic paint agitators
- Dual gun carriage
- Paint SST tank 65 gallons x 2qty
- Gun actuators
- Gallon counters
- Strobe lighting kit

Pressurized glass bead tank
(600 lb capacity)

Paint system
2 HYDREX 230 HD chromed pumps, 5 gpm @3000 psi
TCS Tech cooling system

SKIPLINE controller (1-4 gun)
HD - LED monitor
1-2 camera kit

Foldable chassis & retractable
arm bracket for easy storage

20 lit double section divided
hydraulic oil reservoir



ROADMASTER 5.0



STANDARD SETUP

HYDRAULIC PAINT PRESSURE SYSTEM

Module RM STD 5

- 2 HYDREX 230 hydraulic fully chromed piston paint pumps | 5 gpm (x2) @3000 psi
- or 1 HYDREX 230 hydraulic fully chromed piston paint pumps | 5 gpm (x1) @3000 psi

or MMA HYDREX pump set up

- HD large hydraulic oil cooler
- TCS system cooling technology
- 23 HP HONDA engine

GLASS BEAD SYSTEM

- 1 Carbon steel pressure bead tank 600 lbs. capacity
- Glass bead tank loading steps

BRACKET

- Single retractable & foldable arm bracket

Gun configuration:

- 3 Automatic airless paint guns + 3 glass bead triggers (left)
- or MMA 1:1 | 98:2 gun set up
- Manual paint | stencil kit (15m hose, manual airless gun, reel)

GUIDANCE SYSTEM

- 1 Road marking controllers SKIPLINE USA (up to 4 guns)

not included in HYDREX 230 1 PUMP version

- 1 Re-stripping pointer

ADDITIONAL OR REPLACEMENT OVER STANDARD PARTS

- Additional HYDREX 230 piston pump (3rd color)
- Paint & bead line for additional pump
- Canopy operation cab with single ride seat assembly
- Suspension type ride seat assembly
- SKIP LINE USA controller (up to 4 guns)
- HD Monitor & Camera kit (1-2)
- Bead tank 750 lbs. capacity
- Hydraulic paint agitators
- Dual gun carriage
- Paint SST tank 65 gallons x 2qty
- Gun actuators
- Gallon counters
- Strobe lighting kit
- Laser guidance system HD kit
- Intercom system 2 & 3 station
- Aluminum toolbox
- Fire extinguishers
- Air jets for gun carriage
- LED message board

Paint system
2 HYDREX 70 HD chromed pumps, 2.5 gpm @3000 psi
TCS Tech cooling system

Pressurized glass bead tank
(330 lb capacity)

SKIPLINE controller (1-4 gun)
HD - LED monitor
1-2 camera kit

Foldable chassis & retractable
arm bracket for easy storage





STANDARD SETUP

HYDRAULIC PAINT PRESSURE SYSTEM

Module RM BASIC 2.5

- 2 HYDREX 70 hydraulic fully chromed piston paint pumps | 2.5 gpm (x2) @3000 psi
- or 1 HYDREX 700 hydraulic fully chromed piston paint pumps | 2.5 gpm (x1) @3000 psi
- or MMA HYDREX pump set up
- HD large hydraulic oil cooler
- TCS system cooling technology
- 11.7 HP HONDA engine

GLASS BEAD SYSTEM

- 1 Carbon steel pressure bead tank 330 lbs. capacity

BRACKET

- Single retractable & foldable arm bracket

Gun configuration:

- 2 Automatic airless paint guns + 2 glass bead triggers
- or MMA 1:1 | 98:2 gun set up
- Manual paint | stencil kit (15m hose, manual airless gun, reel)

GUIDANCE SYSTEM

- 1 Re-stripping pointer

ADDITIONAL OR REPLACEMENT OVER STANDARD PARTS

- Additional HYDREX 70 piston pump (3rd color)
- Paint & bead line for additional pump
- SKIP LINE USA controller (up to 4 guns)
- HD Monitor & Camera kit (1-2)
- Bead tank 600 lbs. capacity
- Paint SST tank 65 gallons x 2qty
- Gallon counters
- Strobe lighting kit
- Laser guidance system HD kit
- Intercom system 2 & 3 station
- Fire extinguishers
- LED message board




MARKING REMOVALS, ASPHALT & CONCRETE MAINTENANCE

all about lines ...

Asphalt & Concrete Maintenance

Line marking removals, asphalt & concrete preparation and surface leveling.
Choose from 3 highly professional series depending on the job and untreated surface



DIVISION: ROAD



High speed
operation



Multiple
cutting tools



Add-on
counter weights



Speed Control
Brake System



Low gravity
technology

ROAD SCARIFIERS

PROGRIND HD

ASPHALT & CONCRETE MAINTENANCE

PROGRIND HD | LG | LGR

PROGRIND scarifiers cover a large series of surface preparation applications, designed only for professional use due to their heavy-duty structure and high speed cutting technology. Electric or gas, with side loaded cutting drum. Ideal for concrete surfaces, line marking removal, surface preparation & leveling.

UNIQUE FEATURES

Low gravity technology ideal for leveling surfaces. Brake / speed control system, regulate the speed effortlessly by braking the unit with an easy to work lever brake and lock system



PROGRIND HD INSIGHTS

- ▷ 8 - 10" (200-250mm) working width
- ▷ Walk-behind scarifier
- ▷ PG controlle
- ▷ HONDA GX engines or electric motor
- ▷ Speed control & brake system
- ▷ Heavy duty structure
- ▷ Add on counter weight kits
- ▷ Multiple wheel kits
- ▷ Vacuum connection for dust free operation
- ▷ Easy side loaded cutting beam
- ▷ Maximum cutting depth 10mm
- ▷ Multiple cutting tools per application
- ▷ Secure lift lever with shock absorber
- ▷ High speed



PROGRIND HD walk-behind scarifiers cover a large series of surface preparation applications, designed only for professional use due to their heavy-duty structure and high speed cutting technology.

Electric or gas, with side loaded cutting drum. Ideal for concrete surfaces, line marking removal, surface preparation & leveling.

PROGRIND HD SERIES





PROGRIND HD 209G

PROGRIND MULTIPURPOSE SCARIFIER HD 209 GAS - p/n 11.4430022

Applications: Concrete & Asphalt
Type: Walk-Behind
Working width (max): 200 mm - 8 in
Cutter type: Drum - side loaded
Engine: HONDA GX 9.0 hp
Engine Start: Pull start
Cut Speed: 55 sqm/h - 600 sqf
Brake system: Optional
Ride along chair PRODRIVE: N/A
Water kit: N/A
Vacuum connection port: Included
Wide bar handle: N/A
Dimensions: 96.5 x 48.5 x 106 cm
Weight w/o drum + counter weights: 103 kg

PROGRIND HD 2513 GAS

PROGRIND MULTIPURPOSE SCARIFIER HD 2513 GAS - p/n 11.4430024








Applications: Concrete & Asphalt
Type: Walk-Behind
Working width (max): 250 mm - 10 in
Cutter type: Drum - side loaded
Engine: HONDA GX 13.0 hp
Engine Start: Pull start
Cut Speed: 70 sqm/h - 750 sqf
Brake system: Optional
Ride along chair PRODRIVE: N/A
Water kit: Optional
Vacuum connection port: Included
Wide bar handle: Optional
Dimensions: 96.5 x 48.5 x 106 cm
Weight w/o drum + counter weights: 118 kg

PROGRIND HD 258E

PROGRIND MULTIPURPOSE SCARIFIER HD 258 ELECTRIC - p/n 11.4430023

Applications: Concrete & Asphalt
Type: Walk-Behind
Working width (max): 250 mm - 10 in
Cutter type: Drum - side loaded
Motor: Electric motor 7.5 hp
Cut Speed: 65 sqm/h - 700 sqf
Brake system: Optional
Ride along chair PRODRIVE: N/A
Water kit: N/A
Vacuum connection port: Included
Wide bar handle: N/A
Dimensions: 96.5 x 48.5 x 106 cm
Weight w/o drum + counter weights: 106 kg

PROGRIND DRUM CUTTING TOOLS

	Wire Brush	Steel Star	Steel Beam	Carbide Flail	Carbide Flat	Carbide Tipped Miller	Full Carbide Miller
Cutter Type							
Profile Fine							
Profile Medium							
Profile Course							



PROGRIND LG INSIGHTS

- ▷ 8 - 10" (200-250mm) working width
- ▷ Walk-behind scarifier
- ▷ PG controlle
- ▷ HONDA GX engines or electric motor
- ▷ Speed control & brake system
- ▷ Heavy duty structure
- ▷ Add on counter weight kits
- ▷ Multiple wheel kits
- ▷ Vacuum connection for dust free operation
- ▷ Easy side loaded cutting beam
- ▷ Maximum cutting depth 10mm
- ▷ Multiple cutting tools per application
- ▷ Secure lift lever with shock absorber
- ▷ High speed



PROGRIND LG scarifiers low gravity design makes these units an ideal solution to industrial flooring contractors that wish to cover high volume leveling applications.

High speed technology, low gravity design & wide width coverage. Perfectly balanced stability & design, ideal for industrial floor preparation with no skidding effect.

PROGRIND LG SERIES





PROGRIND LG 209G

PROGRIND LOW GRAVITY SCARIFIER LG 209 GAS - p/n 11.4430025

Applications: Concrete & Asphalt
Type: Walk-Behind
Working width (max): 200 mm - 8 in
Cutter type: Drum - side loaded
Engine: HONDA GX 9.0 hp
Engine Start: Pull start
Cut Speed: 55 sqm/h - 600 sqf
Brake system: Optional
Ride along chair PRODRIVE: N/A
Water kit: Optional
Vacuum connection port: Included
Wide bar handle: Optional
Dimensions: 121 x 55 x 106 cm
Weight w/o drum + counter weights: 121 kg

PROGRIND HD 2513 GAS

PROGRIND MULTIPURPOSE SCARIFIER HD 2513 GAS - p/n 11.4430027








Applications: Concrete & Asphalt
Type: Walk-Behind
Working width (max): 200 mm - 8 in
Cutter type: Drum - side loaded
Engine: HONDA GX 13.0 hp
Engine Start: Pull start / Electric start
Cut Speed: 70 sqm/h - 750 sqf
Brake system: Optional
Ride along chair PRODRIVE: N/A
Water kit: Optional
Vacuum connection port: Included
Wide bar handle: Optional
Dimensions: 121 x 55 x 106 cm
Weight w/o drum + counter weights: 136 kg

PROGRIND LG 258E

PROGRIND LOW GRAVITY SCARIFIER LG 258 ELECTRIC - p/n 11.4430026

Applications: Concrete & Asphalt
Type: Walk-Behind
Working width (max): 200 mm - 8 in
Cutter type: Drum - side loaded
Motor: Electric motor 7.5 hp
Cut Speed: 65 sqm/h - 700 sqf
Brake system: Optional
Ride along chair PRODRIVE: N/A
Water kit: Optional
Vacuum connection port: Included
Wide bar handle: Optional
Dimensions: 121 x 55 x 106 cm
Weight w/o drum + counter weights: 135 kg

PROGRIND DRUM CUTTING TOOLS

	Wire Brush	Steel Star	Steel Beam	Carbide Flail	Carbide Flat	Carbide Tipped Miller	Full Carbide Miller
Cutter Type							
Profile Fine							
Profile Medium							
Profile Course							



PROGRIND LGR INSIGHTS

- ▷ 8 - 10" (200-250mm) working width
- ▷ Walk-behind scarifier
- ▷ PG controlled
- ▷ HONDA GX engines or electric motor
- ▷ Speed control & brake system
- ▷ Heavy duty structure
- ▷ Add on counter weight kits
- ▷ Multiple wheel kits
- ▷ Vacuum connection for dust free operation
- ▷ Easy side loaded cutting beam
- ▷ Maximum cutting depth 10mm
- ▷ Multiple cutting tools per application
- ▷ Secure lift lever with shock absorber
- ▷ High speed



PROGRIND LGR scarifiers are designed especially for road applications, a front swivel wheel offers overall maneuverability ideal for large parking lots, long line road removals, construction sites, runways etc.

Attach the PRODRIVE ride along chair for double speed and effortless coating removals.

PROGRIND LGR SERIES



PRODRIVE

Attach the PRODRIVE
Self-Propelled chair
& enjoy the ride!





PROGRIND LGR 209G

PROGRIND LOW GRAVITY ROAD SCARIFIER LGR 209 GAS - p/n 11.4430028


Applications: Concrete & Asphalt
Type: Walk-Behind
Working width (max): 200 mm - 8 in
Cutter type: Drum - side loaded
Engine: HONDA GX 9.0 hp
Engine Start: Pull start / Electric start
Cut Speed: 55 sqm/h - 600 sqf
Brake system: Optional
Ride along chair PRODRIVE: Optional - double the production speed
Water kit: Optional
Vacuum connection port: Included
Wide bar handle: N/A
Dimensions: 150 x 55 x 106 cm
Weight w/o drum + counter weights: 127 kg

PROGRIND LGR 2513G

PROGRIND LOW GRAVITY ROAD SCARIFIER LGR 2513 GAS - p/n 11.4430029

Applications: Concrete & Asphalt
Type: Walk-Behind
Working width (max): 250 mm - 10 in
Cutter type: Drum - side loaded
Engine: HONDA GX 13.0 hp
Engine Start: Pull start / Electric start
Cut Speed: 75 sqm/h - 800 sqf
Brake system: Optional
Ride along chair PRODRIVE: Optional
Water kit: Optional
Vacuum connection port: Included
Wide bar handle: N/A
Dimensions: 150 x 55 x 106 cm
Weight w/o drum + counter weights: 135 kg

indicated by the “International Concrete Repair Institute”



PROGRIND CUTTING TOOLS



PROGRIND DRUM CUTTING TOOLS

	Wire Brush	Steel Star	Steel Beam	Carbide Flail	Carbide Flat	Carbide Tipped Miller	Full Carbide Miller
Cutter Type							
Profile Fine							
Profile Medium							
Profile Course							



A close-up, slightly blurred photograph of a person's hands gripping a black steering wheel. The person is wearing a light blue shirt. The background shows a car's dashboard and a view of a road with green trees in the distance.

We can reduce the risk of
road accidents

all it takes is ...

PAINT & RESPONSIBILITY

Every year over 1.35 million people
die due to road traffic crashes.
An additional 20-50 million suffer
non-fatal injuries.

VEZOS ROAD DIVISION

CONTACT US

http://



www.vezos.co.uk | vezosusa.com | vezos-tools.com

+441344902036

+17323336632

+302104411720

info@vezos.co.uk

sales@vezosusa.com

info@vezos-tools.com

